

# CENTURY®

## *The Right Approach™*



Some optional equipment shown.

Over the past decade, we have experienced an increase in the number of vehicles with lower ground clearances as the auto manufacturers have tried to increase aerodynamics for greater fuel efficiency and better road handling.

Century has again taken the leadership role in the industry with the introduction of *The Right Approach™*. *The Right Approach™* allows the operator to lower the approach angle to 6°, making the use of ramps or wood planks obsolete.

*The Right Approach™* is another example of Century's commitment to provide you with the best in quality, innovative equipment to help you ensure fast, efficient and safe towing and loading of vehicles.



"The Number One Selling Brand of Towing & Recovery Equipment Worldwide."

# Legendary Leadership



The Right Approach option available on Century 10 series steel carriers eliminates the need for wood planks or ramps when loading and unloading low clearance vehicles. The release handle allows the rear hinged deck section to be lowered to a 6° load angle. A cable guide is inserted in the deck to keep the cable low while winching the vehicle onto the rear deck.



After the vehicles front wheels are on the carrier, the deck can be leveled out and the cable guide removed allowing the vehicle to overcome the second clearance problem with the forward section of the deck. With the front wheels on the front section of the deck the process can be repeated again to eliminate clearance problems such as low exhaust or extended rear overhang

The Right Approach options provides you with the versatility of having a straight carrier deck with the added benefit of an angled approach plate only when you need it for exotic or low clearance vehicles.



**Miller**  
INDUSTRIES

©2006 Miller Industries Towing Equipment Inc. All Rights Reserved.

## CENTURY®

8503 Hilltop Drive • Ooltewah, TN 37363

800-292-0330 • 423-238-4171

FAX 423-238-5371 • [www.MILLERIND.com](http://www.MILLERIND.com)

DISTRIBUTED BY: